

Designed for surface mounting on high density circuit board Emboss carrier tape packing systems is available for automatic insertion.



Range: (µF)	22
Voltage: (V)	35
Ripple Current of this item: (mA)	54
Size of this item: (mm)	6,3x5,4
Operating Temperature:	40°V ~ + 85°C
Capacitance Tolerance:	.+/- 20% at 120Hz, 20°C

Ripple Current at 85°C, 120Hz (mA rms)

DRW:

APPD:

Frequency Correction Factor of Rated Ripple Current

Frequ	iency	50Hz	120Hz	300Hz	1KHz	10Khz
Capacitance	Range					
Ø= 4,0 ~	0,1 ~68	0,70	1,00	1,17	1,36	1,50
10mm	100 ~ 3300	0,85	1,00	1,08	1,20	1,30
Ø 12,5 ~	~ 68	0,75	1,00	1,35	1,57	2,00
16mm	100 ~ 680	0,80	1,00	1,23	1,34	1,50
	1000 ~ 6800	0,85	1,00	1,10	1,13	1,15

CHKD

Jason


Schumi

www.edcon-components.com

-				10				- 4 1 14					
				~10mm, after 2 or 3(µA), wiche		-	ions of r	ated vol	age, lea	ikage cu	irrents is	s not mo	re than
Leakag	e Currer	nt			-								
Ű				2,5 ~16mm, afte				of rated	voltage,	leakage	e current	s is not	more
			than 0,0	an 0,03CV or 4(μA), wichever is greater.									
				Measurement frequency: 120Hz, Temperature: 20°C									
	Tan		Rated	Voltage (VDC)	4	6,3	10	16	25	35	50	63	100
ran			Tan ð	Ø4~10mm	0,35	0,26	0,2	0,16	0,14	0,12	0,12	0,1	0,1
			Tano	Ø12,5~16mm	0,42	0,38	0,34	0,3	0,26	0,22	0,18	0,14	0,1
			Stat	Stability at Low Temperature: Measurement frequency: 120Hz,									
	Ra	ated Vol	tage (VD	C)	4	6,3	10	16	25	35	50	63	100
line in a		Ø4 -	10mm	Z(-25°C/Z(20°C)	7	4	3	2	2	2	2	2	2
				Z(-40°C/Z(20°C)	15	8	6	4	4	3	3	3	3
	ax.)	T/Z20		Z(-25°C/Z(20°C)	7	5	4	3	2	2	2	2	2
(III	an.)	@12,5 [,]	~16mm	Z(-40°C/Z(20°C)	17	12	10	8	5	4	3	3	3
	After 2	000 hou	irds appl	ication of rated	Capacitance Change Within				ו 1 +/-20%	of the i	nitial val	ue (Wit	hin +/-
Load	value	at 85°C	C, capaci	tord meet the	Capac	nance C	nange		30% of the initial value for 4V				
Life	chara	cteristic	s require	ement listed at		Tan ð		200	% or less of the initial specified calue				
			right.		Leal	kage Cu	rrent		Initial specified value or less				
		_	After le	aving capacitors	s under r	no load a	at 85°C i	for 1000	hours, tl	ney mee	t the spe	ecified v	alue for
	Shelf Life	e		C .					ted abov		•		
_				low soldering and		Capac	itance C	Change	With	nin +/-20	% of the	e initial v	alue
	sistance			temperature, they			Tan ð		In	itial spe	cified va	lue or le	SS
sol	soldering heat characteristics requirement at above				nts listed	Leal	kage Cu	rrent				lue or le	
				al abuve									
An	plicable	Standa	rds	JIS C-5141 and	UIS C-5	102							
, 'P	F.100.010	clandu											
									SMT	Flect	rolvtic	: Cana	acitor

								SMT Electrolytic Capacitor Serie SS		
								Serie No.:	l15001	
	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:		
		FINISH	Jamy		Shee	Sheet No.		Cusiomer.		
1								mail info@odcor	components com	


Copyright by EDCON-COMPONENTS





Designed for surface mounting on high density circuit board Emboss carrier tape packing systems is available for automatic insertion.



Technical Drawing







DxL	Ø 4 x 5.4	Ø 5 x 5.4	Ø 6,3 x 5.4	Ø 6,3 x 7,7	Ø 8 x 6,2	Ø 8 x 10,5	Ø 10 x 10,5	Ø 10 x 13,5	Ø 12.5 x 13,5	Ø 12,5 x 16	Ø 16 x 16,5
Α	1,8	2,1	2,4	2,4	3,3	2,9	3,2	3,2	4,7	4,7	5,5
В	4,3	5,3	6,6	6,6	8,3	8,3	10,3	10,3	12,8	12,8	16,3
С	4,3	5,3	6,6	6,6	8,3	8,3	10,3	10,3	12,8	12,8	16,3
E +/-0.2	1,0	1,3	2,2	2,2	2,2	3,1	4,4	4,4	4,4	4,4	6,7
L	5,4	5,4	5,4	7,7	6,2	10,5	10,5	13,5	13,5	16,0	16,5

*1 Voltage mark (6V) reprents 6,3V for Ø 4 ~ 10mm

*3 (L +/- 0.5) is applicable to Ø 8x10,5 ~ Ø 10mm

, ,	• •				()	applicable to Ø 1 year area 1,4,7,0	,			SMT Electroly Serie	
										Serie No.:	I15001
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:	
APPD:	Schumi			FINISH	Jamy		Shee	t No.	2 from 10	Customer.	
and the second											

www.edcon-components.com

Copyright by EDCON-COMPONENTS

ROHS Lead Free

D

COMPONENTS A MEMBER OF EDCON-GROUP

REACH




Designed for surface mounting on high
density circuit board
Emboss carrier tape packing systems is
available for automatic insertion.

Ordering Informations

Serie	Volt	Tolerance	Range	Size Code	Material	Special	ROHS	Packing	
I15001	350	М	220	C0	XX	00	R	TR	
		M- Tolerance			XX-No	00 - No		TR-TAPE	

350 = 35V	M= Tolerance 20%	220 = 22µF	C0 = 6,3x5,4	XX = No Funktion	00 = No Funktion	R = ROHS Conform	TR = TAPE Reel
	K= Tolerance 10%					N= NON ROHS	BU = Bulk- Ware
						Conform	

											lytic Capacitor ie SS	
										Serie No.:	l15001	
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:		
APPD:	Schumi			FINISH	Jamy		Shee	t No.	3 from 10	Customer.		
www.edcon-c	www.edcon-components.com email: info@edcon-components.com											









Taping Specification

Carrier Type Ø4 ~ 10mm

33




Carrier Type Ø 12,5 ~ 16mm



DxL	4x5,4/5,8	5x5,4/5,8	6,3x5,4/5,8	6,3x7,7	8x6,2	8x10,5	10x10,5/13,5	12,5x13,5/16	16x16,5
W	12,0	12,0	16,0	16,0	16,0	24,0	24,0	32,0	44,0
Р	8,0	12,0	12,0	12,0	12,0	16,0	16,0	24,0	28,0
F	5,5	5,5	7,5	7,5	7,5	11,5	11,5	14,2	20,2
A0	5,0	6,0	7,0	7,0	8,7	8,7	10,7	14,0	17,5
B0	5,0	6,0	7,0	7,0	8,7	8,7	10,7	14,0	17,5
T2	5,8/6,3	5,8/6,3	5,8/6,3	8,4	6,8	11,0	11,7/14,0	14,0/16,5	17,5
S								28,4	40,4

										S	olytic Capacitor erie SS	
										Serie No.:	I15001	
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:		
APPD:	Schumi			FINISH	Jamy		Shee	t No.	4 from 10	Cusioner.		
www.edcon-c	www.edcon-components.com email: info@edcon-components.com											

Copyright by EDCON-COMPONENTS









Taping Specification

Carrier Type Ø4 ~ 10mm

22



Carrier Type Ø 12,5 ~ 16mm




DxL	4x5,4/5,8	5x5,4/5,8	6,3x5,4/5,8	6,3x7,7	8x6,2	8x10,5	10x10,5/13,5	12,5x13,5/16	16x16,5
W	12,0	12,0	16,0	16,0	16,0	24,0	24,0	32,0	44,0
Р	8,0	12,0	12,0	12,0	12,0	16,0	16,0	24,0	28,0
F	5,5	5,5	7,5	7,5	7,5	11,5	11,5	14,2	20,2
A0	5,0	6,0	7,0	7,0	8,7	8,7	10,7	14,0	17,5
B0	5,0	6,0	7,0	7,0	8,7	8,7	10,7	14,0	17,5
T2	5,8/6,3	5,8/6,3	5,8/6,3	8,4	6,8	11,0	11,7/14,0	14,0/16,5	17,5
S								28,4	40,4


										S	olytic Capacitor erie SS
										Serie No.:	l15001
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:	
APPD:	Schumi			FINISH	Jamy		Sheet No. 5 from 10		Customer		
www.edcon-co	www.edcon-components.com email: info@edcon-components.com										

Copyright by EDCON-COMPONENTS

Taping Specification











Box





	.4/5.8 5x5.4/5	6,3x5,4/5,8/7	,7 8x6.2/10.5
A	14 14	18	26
B 3	382 392	382	382

DxL	10x10,5	10x13,5	12,5x13,5/16	16x16,5
A	26	26	34	46
В	382	382 / 332	382/332	332

130±5		45
-	395 ± 5	34525
	(345 ± 5)*	`

Size	Reel (PCS)	In-Box (reels)	Quantity / In-Box (pcs)	4 in-Boxes / Carton (/pcs)
4x5,4/5,8	2000	6	12000	48000
5x5,4/5,8	1000	6	6000	24000
6,3x5,4/5,8	1000	5	5000	20000
6,3x7,7	1000	5	5000	20000
8x6,2	1000	5	5000	20000
8x10,5	500	4	2000	8000
10,x10,5	500	4	2000	8000
10x13,5	300/250	4	1200/1000	4800/4000
12,5x13,5	200/150	3	600/450	2400/1800
12,5x16	200/150	3	600/450	2400/1800
16x16,5	125	2	250	1000

SMT Electrolytic Capacitor

Serie SS

			Serie No.:	l15001
Mason	DATE	12.02.2010	Customer:	
			N JUSIOITIEI	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customori	
APPD:	Schumi			FINISH	Jamy		Shee	t No.	6 from 10	Customer:	
www.edcon-co											con-components.com

Copyright by EDCON-COMPONENTS



Designed for surface mounting on high							
a b b							
density circuit board							
Emboss carrier tape packing systems is							
available for automatic insertion.							




Reflow Soldering Conditions

- 1 A thermal condition system such as infrared radiation (IR) or hot blast shall be adopted, and vapor heat transfer systems (VPS) are not recommended.
- 2 Reflow shall be done within 2 cycles. Please make sure that the parts have enough cooling time.
- 3 The time of preheating from 150°C to 200°C shall be within 180 seconds maximum;

The time of soldering temperature at 217°C measured on capacitors' top shall not exceed t_L (second);

The peak temperature on capacitors' top shall not exceed Tp(°C), and the time within 5^AC of actual peak temperature shall not exceed tp (second).



	Classified at Temperature and Time for all Products									
Size	Thickness/mm	Thickness/mm Volume/mm ³		tl / second	tp / second					
Ø 4~ 6,3 & Ø 8x6,2L	> 2.5	< 350	250 +/- 0	90	40					
Ø 8~ 10,5 L	> 2.5	350 ~2000 240 +/- 0		90	30					
Ø10~10,5 / 13,5L	> 2.5	350 ~2000	235 +/- 0	60	30					
Ø12,5 & Ø 16	> 2.5	> 2000	230 +/- 0	30 (20)	20					
	Pofor to table 4.2	5.2 and Eiguro 5.2								

Cleasified at Temperature and Time for all Breducts

Refer to table 4-2. 5-2 and Figure 5-1, IPC / JEDEC J-STD-020C

Re: (20)X is special for midh or high voltage V-Chip capacitors which is Serie H serie made by EDCON.

Classified	Classified at Temperature and Time Only for Standard Site without											
Size	Thickness/mm	Volume/mm ³	Tp (°C)	tl / second	tp / second							
Ø 4~ 6,3 & Ø 8x6,2L	> 2.5	< 350	260 +/- 0	90	5							
Ø 8~ 10,5 L	> 2.5	350 ~2000	260 +/- 0	90	5							
Ø10~10,5 / 13,5L	Ø10~10,5 / 13,5L > 2.5		350 ~2000 260 +/- 0		5							

SMT Electrolytic Capacitor Serie SS Serie No.: 115001

										Serie No.:	115001
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customor:	
APPD:	Schumi			FINISH	Jamy		Shee	t No.	7 from 10	Customer:	

www.edcon-components.com

1 Average ramp-up rate is 3°C/second max. 2 Ramp-down rate is 6°C/second max.

3 Time from 25°C to peak temperature is 8 minutes max.


email: info@edcon-components.com

Copyright by EDCON-COMPONENTS



Designed for surface mounting on high density circuit board Emboss carrier tape packing systems is available for automatic insertion.





1. Circuit Design

a. Please make sure the environmental and mounting conditions to which the capacitor will be exposed are within the conditions specified in EDCON catalogue.

b. Operating temperature and applied ripple shall be within EDCON specification.

c. Appropriate capacitors which comply with the life requirement of the products should be selected when designing the circuit.

d. Aluminum electrolytic capacitors are polar. Make sure that no reverse voltage or AC voltage is applied to the capacitors. Please use bi-polar capacitors for a circuit that can possibly see reversed polarity. Even bi-polar capacitors cannot be used for AC Voltage application.

e. Do not use aluminum electrolytic capacitors in a circuit that requires rapid and very frequent charge / discharge. In this type of circuit, it is necessary to use a special design capacitor with extended life characteristics.

f. Do not apply excess voltage.

Please pay attention to that the peak voltage, which is DC voltage overlapped by ripple current, will not exceed the rated voltage.

In the case where more than 2 aluminum electrolytic capacitors are used in series, please make sure that applied voltage will be lower than rated voltage and the voltage will be applied to each capacitor equally by using a balancing resistor in parallel with the capacitor.

g. Aluminum electrolytic capacitors shall not be used under the following environmental conditions: Capacitors will be exposed to water (including condensation), brine or oil.

Ambient conditions that include toxic gases such as hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, bromine, methyl bromide, ammonium, etc.

Ambient conditions that expose the capacitor to ozone, ultraviolet ray and radiation. Severe vibration and physical shock conditions that exceed KJ specification.

Vibration test condition:	vibration freque	ncy range		10~55			
	sweep rate			10~55			
	sweep method			logarith			
	amplitude or ac		1.5mm				
	direction of vibra		X, Y, Z				
	testing time		2 hours				
DRW:	Jason	CHKD	Wilson		MATL:	Wilson	TOLERANCE
APPD:	Schumi				FINISH	Jamy	
	a second a second a second						

Shock is not applicable normally.

If a particular condition is required, please contact our sales office.

The main chemical solution of the electrolyte and the separator paper used in the capacitors are combustible. The electrolyte is conductive. When it comes in contact with the PC board, there is a possibility of pattern corrosion or short circuit between the circuit pattern, which could result in smoking or catching fire. Do not locate any circuit pattern beneath the capacitor end seal.

Do not design a circuit board that the heat generating components are placed near the aluminum electrolytic capacitor or on the reverse side of PC board, if that just under the capacitor.

Please refer to the table of land size(mm) below when you design in surface mount capacitors.

Electrical characteristics may vary depending on changes in temperature and frequency. Please consider this variation when you design circuits.

When you install more than 2 capacitors in parallel, please consider the balance of current flowing into the capacitors.

While mounting capacitors on double-side PC board, the capacitors should be away from those unnecessary base plate holes and connection holes.

12.02.2010


8 from 10

Cap Size	а	b	С
Ø4	1,0	2,6	1,6
Ø5	1,4	3,0	1,6
Ø6,3L	2,1	3,5	1,6
Ø8x6,2L	2,1	4,0	1,6
Ø8x10,5L	3,0	3,5	2,5
Ø10	4,0	4,0	2,5
Ø12,5	4,0	5,7	3,0
Ø16	6,0	6,5	3,5

DATE

Mason

Sheet No.




COMPONENTS A MEMBER OF EDCON-GROUP

Land space 🔤

SMT Electrolytic Capacitor Serie SS						
Serie No.:	l15001					
Customer:						

www.edcon-components.com

Copyright by EDCON-COMPONENTS



Designed for surface mounting on high density circuit board Emboss carrier tape packing systems is available for automatic insertion.





Application Guideline for CHIP Aluminium Electrolytic Capacitors

2. Mounting

Once a capacitor has been assembled in the set and power applied, do not attempt to re-use the capacitor in other circuits or application.

Leakage current of the capacitors that have been stored for more than 2 years may increase. When leakage current has increased, please perform a voltage treatment using a $1k \Omega$ resistor.

Please confirm specifications and polarity before installing capacitors on the PC board. Do not drop capacitors on the floor, nor use a capacitor that was dropped.

Do not deform the capacitor during installation.

Please pay attention to the mechanical shock to the capacitor by suction nozzle of the automatic insertion machine or automatic mounter, or by product checker, or by centering mechanism.

Reflow soldering

Please follow "Reflow Soldering Conditions" in EDCON's catalogue.

When an infrared heater is used, please pay attention to the extent of heating since the absorption rate of infrared will vary due to difference in the color and size of the capacitor.

Do not tilt lay down or twist the capacitor body after the capacitor are soldered to the PC board.

Do not carry the PC board by grasping the soldered capacitor.

Please do not allow anything to touch the capacitor after soldering. If PC boards are stored in stack, please make sure the PC board or other components away from the capacitor.

The capacitors shall not be effected by any radiated heat from the soldered PC board or other components after soldering.

Cleaning

Recommended clea	aning method
Applicable	Any type, any ratings
Cleaning agents	Pine Alpha ST-100S, Clean Through 750H/750L/710M, Sanelek
	B-12, Aqua Cleaner 210SEP, Techno Care FRW14 \sim 17, Isopropyl Alcohol.

Cleaning conditions

Total cleaning time shall be within 2 minutes by immersion, ultrasonic or other methods. Temperature of the cleaning agents shall be 40°C or below. After cleaning, capacitors should be dried by using hot air for the minimum 10 minutes along with the PC board mounted. Hot air temperature should be within the maximum operating temperature of the capacitor. Insufficient dryness after water rinse may cause appearance problems, such as bottom-plate bulge and etc.

Avoid using ozone destructive substances as cleaning agents for protecting global environment.

Please consult us regarding other cleaning agents or cleaning methods.

3. In the Equipment

Do not directly touch terminal by hand.

Do not link positive terminal and negative terminal by conductor, nor spill conductible liquid such as alkaline or acidic solution on or near the capacitor.

Please make sure that the ambient conditions where the set is installed are free from spilling water or oil, direct sunlight, ultraviolet rays, radiation, poisonous gases, vibration or mechanical shock.

Do not clean capacitors with halogenated cleaning agent. However, if it is necessary to clean with halogenated cleaning agent, please contact our sales office.								SMT Electrolytic Capacitor Serie SS			
							Serie No.:	115001			
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:	
APPD:	Schumi			FINISH	Jamy		Sheet No. 9 from 10		9 from 10	-Customer.	

www.edcon-components.com

Copyright by EDCON-COMPONENTS



Designed for surface mounting on high density circuit board Emboss carrier tape packing systems is available for automatic insertion.





Application Guideline for CHIP Aluminium Electrolytic Capacitors

4. Maintenance and Inspection

Please periodically inspect the aluminum capacitors that are installed in industrial equipment. The following items should be checked:

Appearance: remarkable abnormality such as pressure relief vent opening, electrolyte leaking, etc.

Electrical characteristics: capacitance, dielectric loss tangent, leakage current and etc., which are specified in KJ's catalogue or alternate product specification.

5. In an Emergency

If you see smoke due to operation of safety vent, please turn off the main switch or pull out the plug from the outlet.

If you breathe the gas or ingest the electrolyte, please wash out your mouth and throat with water immediately.

If your skin is exposed to the electrolyte, please wash it away using soap and water.

6. Storage

Do not keep capacitor in high temperature and high humidity atmosphere.

Storage conditions should be:

Temperature: $5^{\circ}C \sim 35^{\circ}C$ Humidity: lower than 75%Place: Indoor

Avoid ambient conditions where capacitors are covered with water, brine or oil.

Avoid ambient conditions where capacitors are permeated by poisonous gases such as hydrogen sulfide, sulfurous acid, nitrous acid, chlorine, bromine, methyl bromide, ammonium and etc.

Avoid ambient conditions where capacitors are exposed to ozone, ultraviolet ray or radiation.

7. Disposal

Please take either of the following methods in disposing capacitors. Incinerate them after crushing capacitors or making a hole on the capacitor body. If incineration is not applicable, hand them over to a waste disposal agent and have them buried in landfills.

										SMT Electrolytic Capacitor Serie SS		
										Serie No.:	l15001	
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010	Customer:		
APPD:	Schumi			FINISH	Jamy		Sheet No. 10 from		10 from 10	Customer.		

www.edcon-components.com

Copyright by EDCON-COMPONENTS