

Data Sheet

Screwless Terminal Block

Pitch: 5,00 mm


Serie: A11L035

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard
 Rated voltage
 Rated current
 Wire range
 Withstanding Voltage

UL	CSA	IEC
300V		250V / 500V
15A		16A
28-12 AWG / 0.08-2.5mm ²		

Mechanical

Wire strip length
 Operating temperature

5 ~ 6mm
 -40°C ~ +115°C

Dimensions


Pitch
 Poles

5.00mm
 2P - 24P

Material

Housing

PA66 (UL94V-0)




Screwless Terminal Block

Part No.: **A11L035**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)



No. of Pos.	A	Tol. P	B	Tol. P
02	10,90	± 0,35	5,00	± 0,35
03	15,90	± 0,35	10,00	± 0,35
04	20,90	± 0,35	15,00	± 0,35
05	25,90	± 0,35	20,00	± 0,35
06	30,90	± 0,35	25,00	± 0,35
07	35,90	± 0,35	30,00	± 0,35
08	40,90	± 0,35	35,00	± 0,35
09	45,90	± 0,35	40,00	± 0,35
10	50,90	± 0,35	45,00	± 0,35
11	55,90	± 0,35	50,00	± 0,35
12	60,90	± 0,35	55,00	± 0,35
13	65,90	± 0,35	60,00	± 0,35
14	70,90	± 0,35	65,00	± 0,35
15	75,90	± 0,35	70,00	± 0,35
16	80,90	± 0,35	75,00	± 0,35
17	85,90	± 0,35	80,00	± 0,35
18	90,90	± 0,35	85,00	± 0,35
19	95,90	± 0,35	90,00	± 0,35
20	100,90	± 0,35	95,00	± 0,35
21	105,90	± 0,35	100,00	± 0,35
22	110,90	± 0,35	105,00	± 0,35
23	115,90	± 0,35	110,00	± 0,35
24	120,90	± 0,35	115,00	± 0,35


Screwless Terminal Block

Part No.: **A11L035**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4	

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
-------	-------------	------------	----------	---------------	------	---------	-----------------	------------------	--	--

A11L035	02	GY	N	N	R	B				
----------------	-----------	-----------	----------	----------	----------	----------	--	--	--	--


Pitch 5,00	02 = Number of Pos. Standard 2~24 Pos.	GY = Gray (Standard) GN = Green OR = Orange BK = Black	N = No Approval 1 = Approval for Material 2 = Approval for Terminal Block	N = NON Approval A = UL /UR Approval Please consult EDCON for available B = VDE Approval Please consult EDCON for available C = TÜV Approval Please consult EDCON for available	R = ROHS Conform N = NON ROHS Conform	B = Standard Package I = Individual Package	xxxxxx = Customer Number	xxx = Customer Version ??(Printing)		
---------------	--	---	--	--	--	--	---------------------------------	--	--	--

Screwless Terminal Block

Part No.: **A11L035**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4

Customer:



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11L035**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

