

Data Sheet

Screwless Terminal Block

Pitch: 5,00 mm

Serie: A11L055

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard
 Rated voltage
 Rated current
 Wire range
 Withstanding voltage

UL	IEC
300V	250V, 450V
10A	12A
28-12 AWG	2.5mm ²
AC2000V/1Min	

Mechanical

Wire strip length
 Operating temperature

5 ~ 6mm
 -40°C ~ +105°C

Dimensions


Pitch
 Poles

5.00mm
 3x (1P - xxP)

Material

Housing
 Pin header
 Wire guard

PA66 (UL94V-0)
 Copper, Tin plated
 Stainless steel



Screwless Terminal Block

Part No.: **A11L055**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

EDCON-COMPONENTS



PCB Layout (Dimension in mm)

Dimensions (mm)



No. of Pos.	A	Tol. P	B	Tol. P
02	11,00	± 0,35	5,00	± 0,35
03	16,00	± 0,35	10,00	± 0,35
04	21,00	± 0,36	15,00	± 0,36
05	26,00	± 0,37	20,00	± 0,37
06	31,00	± 0,38	25,00	± 0,38
07	36,00	± 0,39	30,00	± 0,39
08	41,00	± 0,40	35,00	± 0,40
09	46,00	± 0,41	40,00	± 0,41
10	51,00	± 0,42	45,00	± 0,42
11	56,00	± 0,43	50,00	± 0,43
12	61,00	± 0,44	55,00	± 0,44
13	66,00	± 0,45	60,00	± 0,45
14	71,00	± 0,46	65,00	± 0,46
15	76,00	± 0,47	70,00	± 0,47
16	81,00	± 0,48	75,00	± 0,48
17	86,00	± 0,49	80,00	± 0,49
18	91,00	± 0,50	85,00	± 0,50
19	96,00	± 0,51	90,00	± 0,51
20	101,00	± 0,52	95,00	± 0,52
21	106,00	± 0,53	100,00	± 0,53
22	111,00	± 0,54	105,00	± 0,54
23	116,00	± 0,55	110,00	± 0,55
24	121,00	± 0,56	115,00	± 0,56

Screwless Terminal Block

Part No.: **A11L055**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4		

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11L055	02	GY	N	N	R	B				

Pitch
5,00

02= Number of Pos. Standard 2~24 Pos.	GY= Gray (Standard) GN= Green OR= Orange BK= Black	N= No Approval 1= Approval for Material 2= Approval for Terminal Block	N= NON Approval A= UL /UR Approval Please consult EDCON for available B= VDE Approval Please consult EDCON for available C= TÜV Approval Please consult EDCON for available	R= ROHS Conform N= NON ROHS Conform	B= Standard Package I= Individual Package	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
---	---	---	--	--	--	--------------------------------	---

Screwless Terminal Block	
Part No.:	A11L055
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block

Part No.: **A11L055**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	03.02.2014
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	

