

Data Sheet

Screwless Terminal Block Pitch 5,00mm

Pitch: 5.00 mm

Serie: A11L073

Customer Information for special Item

EDCON Customer : xxxxxx

Customer Version No. : xx

EDCON-COMPONENTS



Technical Discription



Polotion Degree	2	2	3
Overvoltage Category	III	III	II
Rated-Impulse Voltage	4KV	4KV	4KV
Rated voltage:	630V	400V	250V
Rated current:	24A	24A	24A
Wire range: Solid wire: AWG	0,2 ~ 4,0mm ²		
Wire range: Strang. wire: AWG	0,2 ~ 2,5mm ²		
Strip length: mm	9~10mm	9~10mm	
Operating Temperature:	-40°C ~ +105°C		

Mechanical:

Material:

Housing Terminal Body:	PA66 UL94V-0
Housing Left-side:	PA66 UL94V-0
Housing Right side:	PA66 UL94V-0
Lever:	
Terminal:	Copper Matte Tin plated over Nickel
Spring Clamp:	Stainless steel

Drawing (Dimension in mm)



Tolerances unless otherwise specified (mm)


x	x.X	x.XX	x.XXX	Angle					
±	±	±	±	±3°					
DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	18.12.2021
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 4	

Screwless Terminal Block Pitch 5,00mm

Part No.: **A11L073**


Customer:

EDCON-COMPONENTS



PCB Layout Dimension (mm)
TOP-VIEW

Dimensions (mm)



Frontside

**Screwless Terminal Block Pitch
5,00mm**

Part No.: **A11L073**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	18.12.2021	Customer:
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 4		

www.edcon-components.com

email: info@edcon-components.com

EDCON-COMPONENTS



Ordering Informations


Serie	No. of Pos.	Body Color	Srew Type	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
-------	-------------	------------	-----------	---------------	------	---------	-----------------	------------------	--	--

A11L073	01	PG	C	N	R	B	xxxxxx	xx		
----------------	-----------	-----------	----------	----------	----------	----------	---------------	-----------	--	--

Pitch 5.00	01 = Number of Pos. Standard 1 ~ 24Pos.	PG = Phoenix Green	C = Screwless Type	N = NON Approval 1 = UL-Approval for Body Material A = UL /UR Approval Please consult EDCON for available B = VDE Approval Please consult EDCON for available C = TÜV Approval Please consult EDCON for available	R = ROHS Conform N = NON ROHS Conform	B = Standard Package Box/ Polybag I = Individual Package	xxxxxx = Customer Number	xx = Customer Version (Printing) ??		
---------------	---	---------------------------	---------------------------	--	--	---	---------------------------------	--	--	--


Screwless Terminal Block Pitch 5,00mm
Part No.: A11L073
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	18.12.2021
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Screwless Terminal Block Pitch 5,00mm	
Part No.:	A11L073
Customer:	

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	18.12.2021
APPD:	Schumi			FINISH:	Jamy		Sheet No.		4 from 4