

# Data Sheet

## Screwless Terminal Block

**Pitch: 5,00 mm**

**Serie: A11L075**

### Customer Information for special Item

**EDCON Customer : xxxxxx**

**Customer Version No. : xx**

# EDCON-COMPONENTS



## Technical Discription

### Electrical:

Rated voltage:

Rated current:

Withstanding Voltage: AC/1min:

Operating Temperature:

### Mechanical:

Strip length: mm

Wire range: Solid wire: AWG

Wire range: Stranded wire:AWG

### Material:

Housing Terminal Body:

Housing Left-side:

Housing Right side:

Lever:

Terminal:

Spring Clamp:

UL	IEC	VDE
300V	250V	
12A	16A	
2000V		

-40°C ~ +105°C

10~11	10~11	
20~12	2,5mm <sup>2</sup>	

PA66 UL94V-0

PA66 UL94V-0



PA66 UL94V-0

PA66 UL94V-0 Orange RAL9003

Copper Matte Tin plated over Nickel

Stainless steel

## Drawing (Dimension in mm)



Item No.		
1		
2		
3		
4		
5		
6		
7		
8		
9		

Tolerances unless otherwise specified (mm)				
x	x.x	x.xx	x.xxx	Angle
±	±	±	±	±3°
DRW:	Jason	CHKD	Wilson	MATL:
APPD:	Schumi		FINISH	Jamy
			Sheet No.	1 from 4


Screwless Terminal Block	
Part No.:	<b>A11L075</b>
Customer:	

# EDCON-COMPONENTS



## PCB Layout Dimension (mm)

TOP-VIEW



## Dimensions (mm)

A	Tol. P	B	Tol. P	No. of Pos.
11,85	± 0,35	5,00	± 0,35	<b>02</b>
16,85	± 0,35	10,00	± 0,35	<b>03</b>
21,85	± 0,35	15,00	± 0,35	<b>04</b>
26,85	± 0,35	20,00	± 0,35	<b>05</b>
31,85	± 0,35	25,00	± 0,35	<b>06</b>
36,85	± 0,35	30,00	± 0,35	<b>07</b>
41,85	± 0,35	35,00	± 0,35	<b>08</b>
46,85	± 0,35	40,00	± 0,35	<b>09</b>
51,85	± 0,35	45,00	± 0,35	<b>10</b>
56,85	± 0,35	50,00	± 0,35	<b>11</b>
61,85	± 0,35	55,00	± 0,35	<b>12</b>
66,85	± 0,35	60,00	± 0,35	<b>13</b>
71,85	± 0,35	65,00	± 0,35	<b>14</b>
76,85	± 0,35	70,00	± 0,35	<b>15</b>
81,85	± 0,35	75,00	± 0,35	<b>16</b>
86,85	± 0,35	80,00	± 0,35	<b>17</b>
91,85	± 0,35	85,00	± 0,35	<b>18</b>
96,85	± 0,35	90,00	± 0,35	<b>19</b>
101,85	± 0,35	95,00	± 0,35	<b>20</b>
106,85	± 0,35	100,00	± 0,35	<b>21</b>
111,85	± 0,35	105,00	± 0,35	<b>22</b>
116,85	± 0,35	110,00	± 0,35	<b>23</b>
121,85	± 0,35	115,00	± 0,35	<b>24</b>

**Screwless Terminal Block**

Part No.: **A11L075**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	25.12.2020
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS



## Ordering Informations

Serie	No. of Pos.	Body Color	Srew Type	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
<b>A11L075</b>	<b>02</b>	<b>GY</b>	<b>C</b>	<b>N</b>	<b>R</b>	<b>B</b>	<b>xxxxxx</b>	<b>xx</b>		

Pitch
5,00

<b>02=</b> Number of Pos.	<b>GY=</b> Gray (Standard)	<b>C=</b> Screwless Type	<b>N=</b> NON Approval	<b>R=</b> ROHS Conform	<b>B=</b> Standard Package Box/ Polybag	<b>xxxxxx=</b> Customer Number	<b>xx=</b> Customer Version (Printing) ??
Standard 2 ~ 24Pos.			<b>1=</b> UL-Approval for Body Material	<b>N=</b> NON ROHS Conform	<b>I=</b> Individual Package		
			<b>A=</b> UL /UR Approval Please consult EDCON for available				
			<b>B=</b> VDE Approval Please consult EDCON for available				
			<b>C=</b> TÜV Approval Please consult EDCON for available				

<b>Screwless Terminal Block</b>	
Part No.:	<b>A11L075</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	25.12.2020
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4


[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



<b>Screwless Terminal Block</b>	
Part No.:	<b>A11L075</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	25.12.2020
APPD:	Schumi			FINISH	Jamy		Sheet No.		4 from 4