

# Data Sheet

## (Plug) of Pluggable Terminal Block

**Pitch: 3,50 mm**

**Serie: A14G163**

### Customer Information for special Item

**EDCON Customer : 0**

**Customer Version No. : 0**

# EDCON-COMPONENTS




EDCON-Components



## Technical Description

Group UL / CUL	B	C	D
Rated Voltage: (V)	300		300
Rated Current: (A)	10		10
Wire Range:			
Solid: (AWG)	28~16		
Stranged: (AWG)	28~16		
Withstanding Voltage:	1600V/1Min		
<b>Technical Data IEC (VDE)</b>	<b>III</b>	<b>III</b>	<b>II</b>
Contamination Class	3	2	2
Rated Voltage: (V)	160	160	320
Rated Current: (A)	13,4	13,4	13,4
Withstandin Voltage impulse: (KV)	2,5	2,5	2,5
Conductor Cross Section			
Solid: (mm <sup>2</sup> )	0,2~1,5		
Flexible: (mm <sup>2</sup> )	0,2~1,5		
<b>Material:</b>			
Insulation Material:	PA66		
Imflamability:	UL94V-0		
Contactur Material:	Copper Alloy		
surface Plating:	Tin plated		
<b>Other Data</b>			
Pitch: (mm)	3,5		
No of Poles: (P)	2x2 ~2x24		
Stripping Length: (mm)	10~11		
Screw: (Nm)			
Operating Temperature:: (°C)	-40C to +105		
Pin Dimensions (mm)			
PCB Hole Diameter:(mm)			

## Drawing (Dimension in mm)



**(Plug) of Pluggable Terminal Block**

Part No.: **A14G163**

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	04.12.2022	Customer:
APPD:	Schumi			FINISH:	Jamy		Sheet No.	1 from 3		

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS




## PCB Layout


## Dimensions (mm)




Clasp on the left



Clasp to both ends



Clasp in middle



Clasp to both ends

linear dimension(Tolerances Standard GB/T 14486-2008)								—	▱	⊥
variable range	to 6	over 6 to 10	over 10 to 30	over 30 to 60	over 60 to 100	over 100 to 160	over 160 to	to 10	over 10 to 100	over 100 to
tolerance	±0.20	±0.30	±0.50	±0.70	±1.00	±1.30	±1.60	0.10	0.30	0.60

<b>(Plug) of Pluggable Terminal Block</b>	
Part No.:	<b>A14G163</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.12.2022
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS



## Ordering Informations

Serie	No. of Pos.	Body Color	Claps Function	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
<b>A14G163</b>	<b>04</b>	<b>PG</b>	<b>L</b>	<b>A</b>	<b>R</b>	<b>B</b>				

Pitch  
3,50

<b>04</b> = Number of Pos. Standard 2x2 ~ 2x24 Pos.	<b>PG</b> = Phoenix Green (Standard)	<b>L</b> = Left Side  <b>M</b> = Middle Side  <b>B</b> = Both Ends	<b>N</b> = NON Approval  <b>A</b> = UL /UR Approval Please consult EDCON for available  <b>B</b> = VDE Approval Please consult EDCON for available  <b>C</b> = TÜV Approval Please consult EDCON for available	<b>R</b> = ROHS Conform  <b>N</b> = NON ROHS Conform	<b>B</b> = Bulk-Ware  <b>I</b> = Individual Package	<b>xxxxxx</b> = Customer Number	<b>xxx</b> = Customer Version ??(Printing)
--	--------------------------------------	--	---	--	---	---------------------------------	---

<b>(Plug) of Pluggable Terminal Block</b>	
Part No.:	<b>A14G163</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	04.12.2022
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3