

Data Sheet

Pluggable Terminal Block Pitch 3,50mm

Pitch: 3,50 mm

Serie: A14G001

Customer Information for special Item

EDCON Customer : 0

Customer Version No. : 0

EDCON-COMPONENTS



Technical Discription

Drawing (Dimension in mm)

Electrical

Standard
Rated voltage
Rated current
Wire range

cUL	VDE
AC 300V	AC300V
10A	10A
26-16 AWG	0.2-1.5mm ²

Mechanical

Ambient temperature
Screw, Torque

-40°C ~ +105°C
M2, 0.34Nm (3.0Lb-In.)

Dimensions


Pitch
Poles

3.50mm
2P - 24P

Material

Housing
Pin header
Screw
Cage clamp

PA66 (UL94V-0)
Phosphor Bronze, Tin plated
steel, Ni-plated
Brass, Ni-plated



**Pluggable Terminal Block
Pitch 3,50mm**

Part No.: **A14G001**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	08.05.2023
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

EDCON-COMPONENTS



Ordering Informations

Serie	No. of Pos.	Body Color	Approval	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A14G001	02	PG	N	N	R	B				

Pitch
3,50

02= Number of Pos. Standard 2 ~ 24Pos.	PG= Phoenix Green (Standard)	N= No Approval	N= NON Approval	R= ROHS Conform	B= Standard Package	xxxxxx= Customer Number	xxx= Customer Version ??(Printing)
	GN= Green	1= Approval for Material 2= Approval for Terminal Block	A= UL /UR Approval Please consult EDCON for available	N= NON ROHS Conform	I= Individual Package		
	OR= Orange		B= VDE Approval Please consult EDCON for available				
	BK= Black		C= TÜV Approval Please consult EDCON for available				
	GY= Gray						


Pluggable Terminal Block Pitch 3,50mm	
Part No.:	A14G001
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	08.05.2023
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



Pluggable Terminal Block	
Pitch 3,50mm	
Part No.:	A14G001
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	08.05.2023
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	