

# EDCON-COMPONENTS



## Drawing

## Specification

### APPROVAL



#### Electrical

Standard  
Rated voltage  
Rated current

cUL  
AC 150V  
5A

#### Mechanical

Ambient temperature

-40°C ~ +105°C

#### Dimensions

Pitch  
Poles

3.50mm  
2P - 40P

#### Material

Housing  
Solder pin

PA66 (UL94V-0)  
Brass, Tin plated

## P.C.B. Layout

	A[mm]		A[mm]
02P	4.5	26P	46.5
04P	8.0	28P	50.0
06P	11.5	30P	53.5
08P	15.0	32P	57.0
10P	18.5	34P	60.5
12P	22.0	36P	64.0
14P	25.5	38P	67.5
16P	29.0	40P	71.0
18P	32.5		
20P	36.0		
22P	39.5		
24P	43.0		



### Certification



Pluggable Terminal Block /  
Pitch 3.50mm

Part No.: A14G023

Customer:

DRW:	Justin	CHKD	Frank	MATL:	Jordan	TOLERANCE	Lord	Date	10.02.2009
APPD:	Pete			FINISH	Mike			Sheet No.	1 from 3

# EDCON-COMPONENTS



## Ordering Informations

Serie	-	No. of Pole	Body-Color	-	Customer Request
<b>A14G023</b>	-	<b>XX</b>	<b>XX</b>	-	<b>X</b>
		XX = total	<b>WH</b> - white		
		02P	<b>GN</b> - green		
		...	<b>GR</b> - gray		
		40P	<b>TP</b> - transparent		
			<b>OR</b> - orange		
			<b>BK</b> - black		
			<b>BL</b> - blue		
			<b>RD</b> - red		
			<b>YW</b> - yellow		
			<b>PG</b> - Phoenix Green		



Pluggable Terminal Block / Pitch 3.50mm	
Part No.:	A14G023
Customer:	

DRW:	Justin	CHKD	Frank	MATL:	Jordan	TOLERANCE	Lord	Date	10.02.2009
APPD:	Pete			FINISH	Mike		Sheet No.		2 from 3


[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



## Soldering - Profil

Classification Reflow Profile (JEDEC J-STD-020C)



Pluggable Terminal Block /  
Pitch 3.50mm

Part No.: A14G023

DRW:	Justin	CHKD	Frank	MATL:	Jordan	TOLERANCE	Lord	Date	10.02.2009
APPD:	Pete			FINISH	Mike			Sheet No.	3 from 3

Customer: