



# EDCON-COMPONENTS



## Drawing



## P.C.B. Layout



	A[mm]		A[mm]
04P	8.4	28P	54.1
06P	12.2	30P	57.9
08P	16.0	32P	61.7
10P	19.8	34P	65.6
12P	23.6	36P	69.4
14P	27.5	38P	73.2
16P	31.3	40P	77.0
18P	35.1		
20P	38.9		
22P	42.7		
24P	46.5		
26P	50.3		

## Specification

### APPROVAL

#### Electrical

Standard  
Rated voltage  
Rated current



cUL	VDE
AC 300V	AC 300V
10A	8A

#### Mechanical

Ambient temperature

-40°C ~ +105°C

#### Dimensions

Pitch  
Poles

3.81mm  
4P - 40P

#### Material

Housing  
Pin header

PA66 (UL94V-0)  
Brass, Tin plated



[Certification](#)



Pluggable Terminal Block /  
Pitch 3.81mm

Part No.: A14H022

Customer:

DRW:	Justin	CHKD	Frank	MATL:	Jordan	TOLERANCE	Lord	Date	10.02.2009
APPD:	Pete			FINISH	Mike			Sheet No.	1 from 3

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS



## Ordering Informations

Serie	-	No. of Pole	Body-Color	-	Customer Request
-------	---	-------------	------------	---	------------------

<b>A14H022</b>	-	<b>XX</b>	<b>XX</b>	-	<b>X</b>
		XX = total	<b>WH</b> - white		
		04	<b>GN</b> - green		
		...	<b>GR</b> - gray		
		40	<b>TP</b> - transparent		
			<b>OR</b> - orange		
			<b>BK</b> - black		
			<b>BL</b> - blue		
			<b>RD</b> - red		
			<b>YW</b> - yellow		
			<b>PG</b> - Phoenix Green		



Pluggable Terminal Block / Pitch 3.81 mm	
Part No.:	A14H022
Customer:	

DRW:	Justin	CHKD:	Frank	MATL:	Jordan	TOLERANCE:	Lord	Date:	10.02.2009
APPD:	Pete	FINISH:	Mike				Sheet No.:		2 from 3


[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



**Soldering - Profil**

Classification Reflow Profile (JEDEC J-STD-020C)



Pluggable Terminal Block / Pitch 3.81 mm	
Part No.:	A14H022
Customer:	

DRW:	Justin	CHKD	Frank	MATL:	Jordan	TOLERANCE	Lord	Date	10.02.2009
APPD:	Pete			FINISH	Mike			Sheet No.	3 from 3