


# EDCON-COMPONENTS





## Description

Ring Core are mainly used for coupling transformers balancing coils, fixed coils and filter coils

## Dimensions (mm)

### Impedance curve



A= 12,5 ± 0,30  
 B= 6,35 ± 0,30  
 C= 8,0 ± 0,30  
 Unit: mm

Other Sizes are available on request

### Material K5B

### Material A5

### Ring Cores


Part No.: **G24080**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

[www.edcon-components.com](http://www.edcon-components.com)


email: [info@edcon-components.com](mailto:info@edcon-components.com)



Impedance curve



Material A6



Material K8B


Ring Cores

Part No.: **G24080**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

# EDCON-COMPONENTS



## Ordering Informations

Serie	Material	Coating	ROHS	Packing						
-------	----------	---------	------	---------	--	--	--	--	--	--

<b>G24080</b>	-	<b>K5B</b>	<b>E</b>	<b>R</b>	<b>TR</b>					
---------------	---	------------	----------	----------	-----------	--	--	--	--	--

<b>K5B=</b> Material	<b>E=</b> Epoxy	<b>R=</b> ROHS conform	<b>TR=</b> Tray Packing			
<b>A5=</b> Material	<b>P=</b> Parylene					
<b>A6=</b> Material						
<b>K8B=</b> Material						

<b>Ring Cores</b>
Part No.: <b>G24080</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3