





## Description

Ring Core are mainly used for coupling transformers balancing coils, fixed coils and filter coils

## Dimensions (mm)

### Impedance curve



A= 14,0 ± 0,40  
 B= 5,0 ± 0,30  
 C= 9,0 ± 0,30  
 Unit: mm

Other Sizes are available on request

### Material K5B

### Material A6

### Ring Cores


Part No.: **G24089**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	



Impedance curve




Material K1C

Ring Cores

Part No.: **G24089**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

Customer:



**Ordering Informations**

Serie	Material	Coating	ROHS	Packing						
-------	----------	---------	------	---------	--	--	--	--	--	--

<b>G24089</b>	-	<b>K5B</b>	<b>E</b>	<b>R</b>	<b>TR</b>					
---------------	---	------------	----------	----------	-----------	--	--	--	--	--

<b>K5B=</b> Material	<b>E=</b> Epoxy	<b>R=</b> ROHS conform	<b>TR=</b> Tray Packing			
	<b>P=</b> Parylene					
<b>A6=</b> Material						
<b>K1C=</b> Material						

<b>Ring Cores</b>
Part No.: <b>G24089</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3