

# EDCON-COMPONENTS





## Description

Ring Core are mainly used for coupling transformers balancing coils, fixed coils and filter coils

## Dimensions (mm)

### Impedance curve



A= 28,0 ± 0,60  
 B= 13,0 ± 0,40  
 C= 16,0 ± 0,50  
 Unit: mm

Other Sizes are available on request

### Material K5B

### Material A6

### Ring Cores

Part No.: **G24152**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3

[www.edcon-components.com](http://www.edcon-components.com)


email: [info@edcon-components.com](mailto:info@edcon-components.com)



Impedance curve



Material A5




Material K2A

Ring Cores

Part No.: **G24152**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	



**Ordering Informations**

Serie	Material	Coating	ROHS	Packing						
-------	----------	---------	------	---------	--	--	--	--	--	--

<b>G24152</b>	-	<b>K5B</b>	<b>E</b>	<b>R</b>	<b>TR</b>					
---------------	---	------------	----------	----------	-----------	--	--	--	--	--

<b>K5B=</b> Material	<b>E=</b> Epoxy	<b>R=</b> ROHS conform	<b>TR=</b> Tray Packing			
<b>A5=</b> Material	<b>P=</b> Parylene					
<b>A6=</b> Material						
<b>K2A=</b> Material						

**Ring Cores**

Part No.: **G24152**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	24.08.2012
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3

Customer: