

# EDCON-COMPONENTS



## Technical Discription


Temperature Range: ABS= -40°C ~ +85°C  
 PC= -40°C ~ +120°C  
 Protection Degree IP66-67

Draw latch and hinge made of stainless steel hardly break in high frequency in opening and shutting.

We raise hinge and draw latch dimensions in case of enclosures size elevation. For that reason our enclosure can prevent sinking and secure airtight ability in opening and shutting.

To Use for Console-alternative rail and bitton box , mini terminal , signal box, gauge aand meter console, communications and connectin box. etc.

Our Enclosure can be used in poor and dangerous industrial circumstances. As we apply shockproof material to our enclosures and make up for structures of our enclosures.



Dimension (mm)												
W1	W2	W3	W4	H1	H2	H3	H4	D1	D2	D3	M1	M2
280	296	255	210	560	535	505	490	100	30	119	232	535

**Sealed Plastic Enclosure  
 280 x 560 x 130mm**

Part No.: **H22009**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.	1 from 3	Customer:


[www.edcon-components.com](http://www.edcon-components.com)

email: info@edcon-components.com

# EDCON-COMPONENTS



## Technical Drawing



**Sealed Plastic Enclosure  
280 x 560 x 130mm**

Part No.: **H22009**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



Accessories for Enclosures H220xx Serie

**Ordering Informations**

Serie	Material Base	Material Cover	Color Base	Color Cover	ROHS	Packing				
-------	---------------	----------------	------------	-------------	------	---------	--	--	--	--

<b>H22009</b>	<b>A</b>	<b>A</b>	<b>G</b>	<b>G</b>	<b>R</b>	<b>S</b>				
---------------	----------	----------	----------	----------	----------	----------	--	--	--	--

<b>A= ABS</b>	<b>A= ABS</b>	<b>G= Gray</b>	<b>G= Gray</b>	<b>R= ROHS Conform</b>	<b>S= Standard Packing</b>
<b>P= Polycar - bonat</b>	<b>P= Polycar - bonat</b>	<b>T= Transparent</b>	<b>T= Transparent</b>	<b>N= NON ROHS Conform</b>	<b>I= Individual Packing</b>

**Sealed Plastic Enclosure  
280 x 560 x 130mm**

Part No.: **H22009**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	12.02.2010
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3

Customer: