

# EDCON-COMPONENTS



## Technical Discription

Temperature Range:	PC= -60°C ~ +135°C
Protection Degree	IP66
Screw Material:	Stainless Steel



### Dimension (mm)




Length	130			
Width	75,5			
Height	65,5			

<b>2 Hole Pushbutton Sealed Plastic Enclosure</b>	
Part No.:	<b>H14037</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.06.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 3



Technical Drawing



**2 Hole Pushbutton Sealed Plastic Enclosure**

Part No.: **H14037**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.06.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.	2 from 3	

# EDCON-COMPONENTS



## Ordering Informations

Serie	Material Base	Color Base	Material Cover	Color Cover	ROHS	Packing				
<b>H14037</b>	<b>P</b>	<b>L</b>	<b>P</b>	<b>A</b>	<b>R</b>	<b>S</b>				
				<b>A=</b> Dark Gray	<b>R=</b> ROHS Conform	<b>S=</b> Standard Packing				
	<b>P=</b> Polycar - bonat	<b>L=</b> Light Gray	<b>P=</b> Polycar - bonat	<b>B=</b> Yellow	<b>N=</b> NON ROHS Conform	<b>I=</b> Individual Packing				

**2 Hole Pushbutton Sealed Plastic Enclosure**

Part No.: **H14037**

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	02.06.2016
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 3

Customer: