

# DATA SHEET

## 32mm Radial Size Varistor

**Serie: W11007**


**Voltage: 112= 1100Volt**

**32mm Radial Size Varistor**

Serie No.: **W11007**

Customer:


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	20.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 5



## Technical and Electrical Specifiaction

Operating Temperature: . -40°C ~ +85°C  
 Storage Temperature: . -40°C ~ +110°C  
 Leakage Current: . @+25°C, ≤ 20μA; @+85°C, ≤ 40μA  
 Relation between temperature and Max AC Voltage or DC voltage.

## Technical Dimensions



## Rating and Characteristics

Varistor Serie	Voltage Code	Max. Allowable Voltage Uc (V)	
		V <sub>RMS</sub>	V <sub>DC</sub>
W11007	V 1ma (V) 112	680	895

Clamping Voltage 1 Up1		Clamping Voltage 2 Up2	
VP1 (V)	IP1 (A)	VP2 (V)	IP2 (KA)
1815	200	3380	10

Peak Curent In (KA) 8/20μS	Max. Peak Curent Imax. (KA)	Max. Energy W (J) 2ms
10	25	760

L max.	H max.	d	W	T max.	b
36	39	1,5 ± 0,1	25 ± 1	12,0	8,0 ± 1


**32mm Radial Size Varistor**

Part No.: **W11007**


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	20.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 5

Customer:

# EDCON-COMPONENTS



Max. Peak Current Derating Curve



<b>32mm Radial Size Varistor</b>	
Part No.:	<b>W11007</b>
Customer:	


DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	20.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.	3 from 5	

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)



# EDCON-COMPONENTS



## Ordering Informations

Serie	Voltage	Tolerance	Lead function	ROHS	Packing Code					
-------	---------	-----------	---------------	------	--------------	--	--	--	--	--

<b>W11007</b>	-	<b>112</b>	<b>K</b>	<b>LL</b>	<b>R</b>	<b>BU</b>				
---------------	---	------------	----------	-----------	----------	-----------	--	--	--	--

<b>112=</b> 1100Volt	<b>K=</b> Tol. 10%	<b>LL=</b> Long Lead	<b>R=</b> ROHS Conform	<b>BU=</b> Bulk Ware		
	<b>J=</b> Tol. 5%	<b>LX=</b> Xmm Long Lead	<b>N=</b> NON ROHS Conform	<b>IV=</b> Individual Packing		

**32mm Radial Size Varistor**

Part No.: **W11007**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	20.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.		4 from 5



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



<b>32mm Radial Size Varistor</b>
Part No.: <b>W11007</b>
Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	20.02.2011
APPD:	Schumi			FINISH	Jamy		Sheet No.	5 from 5	