

Data Sheet

Screwless Terminal Block Pitch 5,00mm

Pitch: 5,00 mm


Serie: A11L074

Customer Information for special Item

EDCON Customer : xxxxxx

Customer Version No. : xx

EDCON-COMPONENTS



Technical Description

Electrical:

Rated voltage:

Rated current:

Withstanding Voltage: AC/1min:

Operating Temperature:

Mechanical:

Strip length: mm

Wire range: Solid wire: AWG

Wire range: Stranded wire:AWG

Material:

Housing Terminal Body:

Housing Left-side:

Housing Right side:

Lever:

Terminal:

Spring Clamp:

UL	IEC	VDE
300V	450V	
8A	15A	
2000V		

-40°C ~ +105°C

8~9mm	8~9mm	
20~16	1,5mm ²	

PA66 UL94V-0

PA66 UL94V-0



PA66 UL94V-0

PA66 UL94V-0 Orange RAL9003

Copper Matte Tin plated over Nickel

Stainless steel

Drawing (Dimension in mm)



Tolerances unless otherwise specified (mm)

x	x.X	x.XX	x.XXX	Angle
±	±	±	±	±3°

Screwless Terminal Block Pitch 5,00mm

Part No.: **A11L074**


Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.11.2020
APPD:	Schumi			FINISH	Jamy		Sheet No.		1 from 4

www.edcon-components.com


email: info@edcon-components.com

EDCON-COMPONENTS



PCB Layout Dimension (mm)

TOP-VIEW



Dimensions (mm)

A	Tol. P	B	Tol. P	No. of Pos.
11,85	± 0,35	5,00	± 0,35	02
16,85	± 0,35	10,00	± 0,35	03
21,85	± 0,35	15,00	± 0,35	04
26,85	± 0,35	20,00	± 0,35	05
31,85	± 0,35	25,00	± 0,35	06
36,85	± 0,35	30,00	± 0,35	07
41,85	± 0,35	35,00	± 0,35	08
46,85	± 0,35	40,00	± 0,35	09
51,85	± 0,35	45,00	± 0,35	10
56,85	± 0,35	50,00	± 0,35	11
61,85	± 0,35	55,00	± 0,35	12
66,85	± 0,35	60,00	± 0,35	13
71,85	± 0,35	65,00	± 0,35	14
76,85	± 0,35	70,00	± 0,35	15
81,85	± 0,35	75,00	± 0,35	16
86,85	± 0,35	80,00	± 0,35	17
91,85	± 0,35	85,00	± 0,35	18
96,85	± 0,35	90,00	± 0,35	19
101,85	± 0,35	95,00	± 0,35	20
106,85	± 0,35	100,00	± 0,35	21
111,85	± 0,35	105,00	± 0,35	22
116,85	± 0,35	110,00	± 0,35	23
121,85	± 0,35	115,00	± 0,35	24


**Screwless Terminal Block Pitch
5,00mm**

Part No.: **A11L074**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.11.2020
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 4

EDCON-COMPONENTS



Ordering Informations


Serie	No. of Pos.	Body Color	Srew Type	Approval Code	ROHS	Packing	EDCON Cust. No.	Customer Version		
A11L074	02	PG	C	N	R	B	xxxxxx	xx		

Pitch
5,00

02= Number of Pos.		C= Screwless Type	N= NON Approval	R= ROHS Conform	B= Standard Package Box/ Polybag	xxxxxx= Customer Number	xx= Customer Version (Printing) ??
Standard 2 ~ 12Pos.	PG= Phoenix-Green (Standard)		1= UL-Approval for Body Material	N= NON ROHS Conform	I= Individual Package		
			A= UL /UR Approval Please consult EDCON for available				
			B= VDE Approval Please consult EDCON for available				
			C= TÜV Approval Please consult EDCON for available				


Screwless Terminal Block Pitch 5,00mm	
Part No.:	A11L074
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.11.2020
APPD:	Schumi			FINISH	Jamy		Sheet No.		3 from 4



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



**Screwless Terminal Block Pitch
5,00mm**

Part No.: **A11L074**

Customer:

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	09.11.2020
APPD:	Schumi			FINISH	Jamy		Sheet No.	4 from 4	