



# EDCON-COMPONENTS




## Technical Drawing



## Technical Specification

Material Edeltahl: SUS304, T=0,10+/-0,005  
 Verzerrung: 45°/1000mm, Bogen 5mm / 1000mm  
 Nickel 50~80µm min.  
 Complete Surface AU min 1U"  
 Lifetime: 20000 cycles bei 60~80gr force

## PCB-Layout



**SMD SPRING CONNECTOR CONTACT**

Part No.: **TA25034**

Customer:


### Tolerances

X=	X.X=	X.XX=	X.XXX=	Angle	Wilson	TOLERANCE	Mason	DATE	07.05.2024
±0,35	±0,25	±0,20	±0,15	±5°	Jamy		Sheet No.		1 from 3

[www.edcon-components.com](http://www.edcon-components.com)

email: [info@edcon-components.com](mailto:info@edcon-components.com)

# EDCON-COMPONENTS




## Ordering Informations

Serie	Contact Plating	Spezial Function	Spezial Function	Spezial Function	ROHS	Packing				
<b>TA25034</b>	<b>G0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>R</b>	<b>TR</b>				

<b>G0</b> = Gold Flash	<b>0</b> = No function	<b>0</b> = No function	<b>0</b> = No function	<b>R</b> = ROHS Conform	<b>BU</b> = Bulk-Ware 100PCS
<b>T0</b> = Tinned					<b>TR</b> = Tape Reel


<b>SMD SPRING CONNECTOR CONTACT</b>	
Part No.:	<b>TA25034</b>
Customer:	

DRW:	Jason	CHKD	Wilson	MATL:	Wilson	TOLERANCE	Mason	DATE	07.05.2024
APPD:	Schumi			FINISH	Jamy		Sheet No.		2 from 3



Soldering Profile Curve

Classification Reflow Profile (JEDEC J-STD-020C)



<b>SMD SPRING CONNECTOR CONTACT</b>	
Part No.:	<b>TA25034</b>
Customer:	

DRW:	Jason	CHKD:	Wilson	MATL:	Wilson	TOLERANCE:	Mason	DATE:	07.05.2024
APPD:	Schumi	FINISH:	Jamy			Sheet No.:			3 from 3